



INTISO chemicals

di Intiso Pietro Livio

TECHNICAL DATA SHEET

UMITAN SA / CO LIQ.

AUXILIARY DECOLORANTE

CHEMICAL COMPOSITION

Oxidant product containing chlorine

FEATURES

Appearance:	pale yellow liquid
pH in solution at 10%:	10.5 - 11.5
Stability:	Stable in dry place at temperatures below + 8 ° C possible the formation of crystals on the bottom of the container
reaction:	being highly alkaline must not be mixed with acids, oxidizing or flammable products.

PROPERTY '

UMITAN SA / CO Liq. is used as a bleach, to any kind of leather. When used in pickling, the UMITAN SA / CO Liq discolour all pigments remained in the roots of the hair leaving it clean. UMITAN SA / CO is also indicated for the production of full-aniline leather, bleached white or pastel. With the use of UMITAN SA / CO are obtained skins and rinds cleaner, a strong bleaching action, improving any dye.

HOW TO USE

To bleach hides in pickling is used up to 1% on pelt weight.

To bleach reptile skins using up to 10% on pelt weight.

To decolorize dyes incorrect using up to 20%.

WARNINGS

Like all products oxidizing UMITAN SA / CO should be used observing certain precautions. It is important that it is not in contact with concentrated acids or reducing substances, because it develops chlorine dioxide and may lead to a spontaneous evolution of gas, sometimes accompanied by combustion.



UMITAN SA / CO then be mixed with other mild acids advance. Do not open the drum during the discoloration. At the end of the processing of chlorine dioxide in excess must be neutralized with reducing agents.

DATA AND NEWS HAVE VALUE